



MASSEY FERGUSON

MF TW Series

Trailed Round Baler Wrapper

MF TW 130



FROM MASSEY FERGUSON

MF TW 130

Simple and reliable design for trouble-free operation



The MF TW 130 is a straightforward design wrapper with a grid frame, exceptionally low wrapping table and semi-automatic controls for fast and reliable trouble-free operation.

This wrapper is equipped with a strong, welded loading arm which easily lifts bales up to 1.30m in diameter and a weight of up to 1000kg with one press of a button.



Depending on the crop and conditions, the operator can easily adjust the required number of film layers. The pre-stretching device is designed to work with 500mm or 750mm rolls and can be set at 55% or 70% stretch for tighter wrapping and reduced film consumption. A quick-lock system makes the replacement of empty rolls fast and easy.



Bale discharge is exceptionally gentle, without the risk of damaging the film, thanks to a low-positioned wrapping table which tilts close to the ground when unloading bales. An optional baler tipper is available to prevent the bales from rolling in hilly conditions, improving safety and reducing the time required for bale collections in the field.




By simple adjustment, the right-hand side transport wheel can be turned around the centre spindle, extending the overall transport width from 2.50m to 2.85m, thus increasing the overall wrapper stability.

As an additional function, the MF TW 130 wrapper can be used to transport one or two pre-wrapped bales from the field.

MFservices

Combined services to increase our customers' profit and efficiency



Massey Ferguson and its Distributors and Dealers are always prepared and ready to put in the extra mile to support your purchase. Agriculture can be a tough business, that's why we make sure that you can get support whenever you need it and at crucial times of the year.

Our Dealers are committed to finding the right product for you and then supporting you with the best service, parts provision and backup. You'll be part of a dedicated family of highly skilled specialists who make it their business to give you genuine, top quality service support.

We understand farming and are aware of the challenges each individual faces, therefore our Dealers can help you to plan for a successful future. Ask your Dealer about our finance plans, which can include leasing, hire purchase, contract hire and loan facilities.

You can also secure your assets with an MFCare Service and Extended Warranty Plan*: a complete package aimed at providing total care for your combine including routine maintenance, repair cover and full AGCO backed warranty.

*MFCare Service and Extended Warranty Plan may not be available or may be market dependent. Please contact your Massey Ferguson Dealer to check availability in your area.

Specifications as standard

Model	MF TW 130
Bale diameter, (m)	0.90 - 1.30
Bale width, (m)	1.25
Max. bale weight (kg)	1,000
Weight (approx.) (kg)	1,080
Drive power required (kW/hp)	30/41
Transport length (m)	4.70
Transport width, (m)	2.55
Transport height, (m)	2.30
Hydraulic connections	1x SA with free run
Recommended oil flow (l/min // bar)	18-30 // 150
Electrical connections	12V
Tyre size	10/70-15.30
Film holders and cutter	1
Extra film role storage	3
Variable stretchers (%)	55 / 70
Control unit	E-link Basic
Semi-automatic control	●
Bale counter	●
Rotation counter with acoustic signal	●
Film width, 750 mm	●
Film 500 mm film	○
Lighting	●
Bale tipper	○

Every effort has been made to ensure that the information contained in this publication is as accurate and current as possible. However, inaccuracies, errors or omissions may occur and details of the specifications may be changed at any time without notice. Therefore, all specifications should be confirmed with your Massey Ferguson Dealer or Distributor prior to any purchase.

● Standard specification
○ Optional